# SAFETY DATA SHEET

#### 1. Identification

**Product Identifier VDS Solvent Spotter** 

Other means of identification

Product code GCS-3453

Recommended use Dry solvent spotter. **Recommended restrictions** Professional use only. Manufacturer/distributor/supplier/importer information

Company name Go Clean Chemical

**Address** 2910 S Highland Dr. Suite P

Las Vegas, NV 89109

Telephone (866) 839-7588

**PERS** (800) 633-8253 **Emergency phone number** 

> (800) 633-8253 24 hour Emergency

# 2. Hazard(s) Identification

**Physical hazards** Flammable Liquids Category 4 **Health hazards** Acute toxicity, inhalation Category 2

Skin irritation Category 2 Eye irritation Category 2B Specific target organ toxicity Category 3

(single exposure) [Narcotic

effects1

None

Category 1 **Aspiration Hazard** 

**Environmental hazards** Not classified.

OSHA defined hazards

**Label elements** 





Signal word Danger.

**Hazard statement** Combustible liquid.

> Harmful if inhaled. Causes skin irritation. Causes eye irritation.

May cause drowsiness and dizziness.

May be fatal if swallowed and enters airways.

**Precautionary statement** 

Keep away from flames and hot surfaces. No smoking. Wear protective gloves/eye Prevention

protection/face protection. Use only outdoors or in a well-ventilated area. Avoid

breathing vapor. Wash hands and exposed skin thoroughly after handling.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for Response

breathing. Call a POISON CENTER/doctor/medical professional if you feel unwell. In case of fire: Use water fog, foam or carbon dioxide (CO<sub>2</sub>) to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF

SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Do NOT

induce vomiting. IF ON SKIN: Wash with plenty of soap and water. Take off

contaminated clothing. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical attention.

Storage Store in a well-ventilated place. Keep cool. Store locked up. Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

**Supplemental information** 

None

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
C9-C15 Cycloalkanes	Mixture	60-100
C9-C15 Alkanes	Mixture	10-30
Other components below reportable levels		1-20

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the Ingestion

instruction of medical personnel.

Most important

Dermatitis, Rash. symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions **General information** 

to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical powder, sand, or earth may be used

for small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and

grounding procedures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

Fire-fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** Flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

**Environmental precautions** 

Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

# 7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see

Conditions for safe storage, including any incompatibilities

8. Exposure controls/personal protection

section 10 of the SDS).

#### **Occupational exposure limits**

No information.

#### **Biological limit values**

No information.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/face protection
Skin protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Hand protection

Wear appropriate chemical resistant gloves

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical State Clear liquid.
Color Colorless.

Odor Characteristic.
Odor threshold Not available.
PH Not available.
Melting/freezing point Not available.

Initial boiling point and

boiling range

300-410°F (148.9-210°C) estimated.

Flash point 150°F (66°C) estimated.

Evaporation rate Not available.
Flammability Not available.

**Flammability Limits** 

Upper 6% estimated.
Lower 0.8% estimated.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 0.80

Solubility in water Insoluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

### 10. Stability and reactivity

**Reactivity**This product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding

the flash point. Contact with incompatible materials.

**Incompatible materials** Oxidizing agents, acids.

**Hazardous decomposition** 

products

Carbon dioxide, carbon monoxide.

#### 11. Toxicological information

# Information on likely routes of exposure

**Ingestion** Expected to be low ingestion hazard.

**Inhalation** Harmful if inhaled.

**Skin contact** May cause mild skin irritation.

**Eye contact** Causes eye irritation. Wear eye/face protection.

Symptoms related to the physical, chemical and

Dermatitis. Rash. Drowsiness and dizziness.

toxicological characteristics

Acute toxicity Harmful if inhaled.

Product Route and Species LD<sub>50</sub>

VDS Solvent Spotter (CAS mixture)

Acute Oral, rat >5,000 mg/kg estimated

\*Estimates for product may be based on additional component data not

shown

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/

Causes serious eye irritation.

irritation

**Respiratory sensitization** Not available. **Skin sensitization** Not available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not expected to be a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** May be harmful or fatal if product enters airways.

### 12. Ecological information

**Ecotoxicity** No data available.

Persistence and No data available.

degradability

**Bioaccumulative potential** Potential to bioaccumulation is expected to be low.

Mobility in soil No data available.

Other adverse effects Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

### 15. Regulatory information

#### **US federal regulations**

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

#### SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting)

Not listed.

# 16. Other information, including date of preparation or last revision

Issue date 7/23/2015 **Revision date** 7/23/2015

Version # 1

HMIS® ratings Health: 1

> Flammability: 2 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 2

Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

by the text.

**Revision information** First issue